



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

September 25, 2015

Eduardo Moreira  
Sr. Regulatory Product Manager for Lawn & Garden  
Syngenta Crop Protection, LLC  
P.O. Box 18300  
Greensboro, NC 27419

Subject: Label Amendment – Updated Storage and Disposal, Bulk pack size, Optional text and Precautionary Statements  
Product Name: Azoxy 0.31 Granular  
EPA Registration Number: 100-1275  
Application Date: May 19, 2015  
Decision Number: 505348

Dear Mr. Moreira:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 100-1275  
Decision No. 505348

with FIFRA section 6. If you have any questions, please contact Aswathy Balan by phone at 703-347-0510, or via email at [balan.aswathy@epa.gov](mailto:balan.aswathy@epa.gov).

A handwritten signature in black ink, reading "Shaja B. Joyner". The signature is written in a cursive style with a large initial "S".

Shaja B. Joyner, Product Manager 20  
Fungicide-Herbicide Branch  
Registration Division 7505P

# Azoxy 0.31 Granular

Broad-spectrum fungicide for [prevention and control of diseases] [use] on home lawns

*Active Ingredient:*

Azoxystrobin: ..... 0.31%

---

*Other Ingredients:* ..... 99.69%

---

*Total:* ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN.  
CAUTION**


See additional precautionary statements and directions for use [inside booklet] [on label].

EPA Reg. No. 100-1275

EPA Est. \_\_\_\_\_

SCP 1275

\_\_\_\_\_  
Net Weight



{[.....BEGIN – Comprehensive List of Optional Marketing Claims.....]}

- Begins working in 24 hours
- Ready-To-Use Granules
- Ready-To-Spread Granules
- Guaranteed [Results or Your Money Back]
- Granules Dissolve for Quicker Release
- Resealable Bag
- Easy [Pour] [Empty] Bag
- Uniform Granules Provide Uniform Spread
- Controls Lawn Diseases
- Controls Diseases [In your Lawn]
- Contains Heritage®
- Low Odor
- Does Not Stain
- [Broad Spectrum] [and] [Systemic] Disease Control on Home Lawns
- Easy to [Spread] [Apply] Granules
- For Use on Home Lawns.
- Controls Brown Patch, Powdery Mildew, Anthracnose, Rusts, Blights, Leaf Spots, and More, as Listed
- Granule Formulation – Easy to spread
- 10 lb Will Treat Up to 5,000 Sq. Ft. of Lawn
- 8 lb Will Treat Up to 4,000 Sq. Ft. of Lawn
- 6 lb Will Treat Up to 3,000 Sq. Ft. of Lawn
- XX lbs. Will Treat Up to X,XXX Sq. Ft. of Lawn
- Absorbed Into the Plant
- Systemic Action
- Works Up to 4 Weeks for Certain Diseases
- Controls Brown Patch
- Prevents and Stops...
  - Anthracnose
  - Brown Patch
  - Blights
  - Leaf Spot
  - Powdery Mildew
  - Rust
  - and More

[.....END – Comprehensive List of Optional Marketing Claims.....]}

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- People and pets may re-enter the treated area after application.

---

### USE TIPS

---

- Use Azoxy 0.31 Granular on home lawns to prevent disease before it appears or to control disease at the first sign of disease.
- For best results, begin applications prior to disease symptoms, when conditions are favorable for disease.
- Consult your local Cooperative Extension Service office or your state's land grant university for assistance with lawn disease identification and specific fungicide timing in your area to control lawn diseases.
- When used as directed, this product is safe to the lawn and controls the diseases listed.

---

### How to Apply

---

- Measure the length and width of area to be treated before application. Length X width = square feet. For example, an area 20 ft wide and 25 ft long is 500 sq ft. [Insert optional graphic]
- Refer to the *Directions for Applications for Lawn Diseases* table for the rate to apply to control your lawn disease problem. Add the appropriate amount of Azoxy 0.31 Granular to your granular spreader to cover your square footage of lawn. Refer to *Granular Spreader Settings* table for spreader settings to deliver the rate required.
- Uniform coverage is necessary to provide the most effective level of control.
- Azoxy 0.31 Granular can be applied after seeding or at seed germination.
- Use the shorter re-treatment intervals and higher application rates when prolonged favorable disease conditions exist.
- Do not apply more than 37 lb of Azoxy 0.31 Granular per 1,000 sq ft in a single year.

## DIRECTIONS FOR APPLICATIONS FOR LAWN DISEASES

Disease	How Much to Apply (lb per 1,000 sq ft)	Application Interval (days)	Comments
Brown Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Anthracnose Fusarium Patch Gray Leafspot Leaf Rust Powdery Mildew Stem Rust Stripe Rust	2 - 4	14 - 28	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Necrotic Ring Spot Pink Patch Red Thread Southern Blight Summer Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Leafspot Melting Out	2 - 4	14 - 21	Apply when conditions are favorable for disease.
Cool Weather Brown Patch Yellow Patch Rhizoctonia Large Patch	2 - 4	14 - 28	Make one or two applications in fall or when conditions are favorable for disease.
Fairy Ring	4	28	Apply as soon as possible after fairy ring symptoms develop. Severely damaged or thin turf may require reseeded. Fairy ring symptoms may take 2 to 3 weeks to disappear following application. Re-application after 28 days may be required in some cases.
Gray Snow Mold Pink Snow Mold Typhula Blight	7 4	- 10 - 28	Make a single application in late fall. _____ or _____ Apply twice in the fall prior to snow cover.
Pythium Blight Pythium Root Rot	2 - 4	10 - 14	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Spring Dead Spot	2 - 4	14 - 28	Make 1 or 2 applications, with the last application falling approximately one month prior to bermudagrass dormancy. Irrigate with 1/4" to 1/2" of water after application.
Take-All Patch	2 - 4	28	Apply twice in the fall (typically September and October) and twice in the spring (typically April and May).  Treat southern lawns (warm season grasses such as bermudagrass and St. Augustinegrass) twice in the summer (June - August) as well.
Zoysia Patch	2 - 4	14 - 28	Make 1 to 2 applications, with the last application falling approximately one month prior to zoysiagrass dormancy.

[*Spreader models and settings available at the time of final printed labeling.*]

[Optional table:

**Granular Spreader Settings**

Make and Models	Setting <sup>1, 2</sup>			
	2 lb per 1,000 sq ft	3 lb per 1,000 sq ft	4 lb per 1,000 sq ft	7 lb per 1,000 sq ft
Spreader A	X	X	X	X
Spreader B	X	X	X	X
Spreader C	X	X	X	X
Spreader D	X	X	X	X
Spreader E	X	X	X	X
Spreader F	X	X	X	X
Spreader G	X	X	X	X
etc.	X	X	X	X

<sup>1</sup>Assume 3 mph walking speed.

<sup>2</sup>It is recommended that you calibrate your spreader before application since manufacturer's settings can vary among the same model of spreader. ]

[Optional text follows:

---

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not

extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA. ]

[Optional text follows:  
**Warranty Statement**

Notice: Research and testing have determined that the “Directions for Use” are appropriate for the proper use of this product under expected conditions. The buyer assumes responsibility for lack of performance or safety if not used according to the instructions on this label. ]

<b>FIRST AID</b>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call <b>[1-800-888-8372] [Alternate phone number].</b>

---

## PRECAUTIONARY STATEMENTS

---

### CAUTION

#### Environmental Hazards

This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Do not apply directly to water. Runoff may harm aquatic organisms. Do not contaminate water when disposing of equipment washwater or rinsate.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

##### Pesticide Storage

Store in a cool, dry place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

##### Pesticide Disposal

To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

##### Container Handling *(For Residential Uses)*

Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available or discard in a sanitary landfill. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

##### Container Handling *(For Commercial Uses)*

###### **[less than or equal to 50 pounds]**

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container  $\frac{1}{4}$  full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

###### **[bags]**

Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty

bag in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

**[fiber drums with liners]**

Non-refillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available or dispose of liner in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities. If drum is contaminated and cannot be reused, dispose of it in a manner required by its liner.

**CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER.**

---

[The Syngenta logo is a trademark of a Syngenta Group Company]

©20\_\_ Syngenta

[Optional text follows:  
Questions or Comments?  
Call [800 number]. ]

Manufactured for:  
Syngenta Crop Protection, LLC  
P.O. Box 18300  
Greensboro, North Carolina 27419-8300

SCP 1275

Azoxy 0.31 Granular 1275 1275 MAS 0610 AMEND MAY2015-Hilite – pl – 5/11/15  
000100-01275.20150511.AZOXY-0.31GRANULAR\_AMEND\_MAY2015-HI.pdf

Azoxy 0.31 Granular 1275 1275 MAS 0610 AMEND MAY2015-Version B-Hilite – pl – 9/8/15  
000100-01275.20150511B.AZOXY-0.31GRANULAR\_AMEND\_MAY2015-HI.pdf

Azoxy 0.31 Granular 1275 1275 MAS 0610 AMEND MAY2015-Version B-Clean – pl – 9/8/15  
000100-01275.20150511B.AZOXY-0.31GRANULAR\_AMEND\_MAY2015.pdf